

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	10/606643	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 15:47
S2	2	"20040083196"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 15:47
S4	3	"7007158".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 15:47
S5	2	"20030140333"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 15:47
S6	2	"7111206".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 16:19
S7	109	(basic\$1input\$1output\$1system or (basic adj input adj output adj system) or BIOS) with (setting or configur\$5 or setup or adjust\$3 or program\$3) with (pre\$1boot\$3 or preboot\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 06:33
S8	237	((hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3)) and ((basic\$1input\$1output\$1system or (basic adj input adj output adj system) or BIOS) same (pre\$1boot\$3 or preboot\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:55

EAST Search History

S9	64	(hardware or hardware or peripheral or input/output or (input adj output)) with (basic input/output/system or (basic adj input adj output adj system) or BIOS) with (graphical user interface or (graphical adj user adj interface) or GUI or user interface or (user adj interface) or UI or graphical interface or (graphical adj interface)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:39
S10	3	(hardware or hardware or peripheral or input/output or (input adj output)) with (basic input/output/system or (basic adj input adj output adj system) or BIOS) with (graphical user interface or (graphical adj user adj interface) or GUI or user interface or (user adj interface) or UI or graphical interface or (graphical adj interface)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3) and (preboot\$3 or preboot\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:50
S11	943386	(power on self test or (power adj on adj self adj test) or "POST" or preboot execution environment or preboot execution environment or (preboot adj execution adj environment) or "PXE")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:51
S12	2926	S11 with (graphical user interface or (graphical adj user adj interface) or GUI or user interface or (user adj interface) or UI or graphical interface or (graphical adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:52
S13	120	S12 same (hardware or hardware or peripheral or input/output or (input adj output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:50

EAST Search History

S14	2119	(power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:53
S15	11	S14 with (graphical\$1user\$1interface or (graphical adj user adj interface) or GUI or user\$1interface or (user adj interface) or UI or graphical\$1interface or (graphical adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:52
S16	11	S15 and (graphical\$1user\$1interface or (graphical adj user adj interface) or GUI or user\$1interface or (user adj interface) or UI or graphical\$1interface or (graphical adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 09:52
S17	11	S16 and (power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:27
S18	127	(prior or before) near2 (operating\$1system or (operating adj system)) with (setting or configur\$5 or setup or adjust\$3 or program\$3) with (hardware or hard\$1ware or peripheral or input\$1output or (input adj output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 10:29
S19	103	S18 and (basic\$1input\$1output\$1system or (basic adj input adj output adj system) or BIOS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:45
S20	4607	(basic\$1input\$1output\$1system or (basic adj input adj output adj system) or BIOS) and (Extensible\$1Markup\$1Language or (Extensible adj Markup adj Language) or XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:47

EAST Search History

S21	2979	S20 and (graphical\$1user\$1interface or (graphical adj user adj interface) or GUI or user\$1interface or (user adj interface) or UI or graphical\$1interface or (graphical adj interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 17:06
S22	400	S21 and (power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE" or bootup or boot\$1up or bootstrap or boot\$1strap or boot\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:50
S23	201	S22 and ((hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 16:56
S24	25	(hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3) with (graphical\$1user\$1interface or (graphical adj user adj interface) or GUI or user\$1interface or (user adj interface) or UI or graphical\$1interface or (graphical adj interface)) with (power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE" or bootup or boot\$1up or bootstrap or boot\$1strap or boot\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 10:56

EAST Search History

S25	138	(hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3) same (graphical\$1user\$1interface or (graphical adj user adj interface) or GUI or user\$1interface or (user adj interface) or UI or graphical\$1interface or (graphical adj interface)) same (power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE" or bootup or boot\$1up or bootstrap or boot\$1strap or boot\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 19:04
S26	1434	((setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3 or modify\$3 or alter\$3 or chang\$3) with (hardware or hard\$1ware or peripheral or input\$1output or (input adj output))) same poll\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 19:13
S27	4584	((setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3 or modify\$3 or alter\$3 or chang\$3) with (hardware or hard\$1ware or peripheral or input\$1output or (input adj output))) with (browser or web\$1page or (web adj page) or window)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 19:16
S28	132	S27 and ((poll\$3 or query\$3) with (hardware or hard\$1ware or peripheral or input\$1output or (input adj output)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 19:16

EAST Search History

S29	16	S28 and ((power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE" or bootup or boot\$1up or bootstrap or boot\$1strap or boot\$4) with (operating\$1system or (operating adj system) or OS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 19:28
S30	1900	(prior or before) with (initializ\$3 or boot\$4 or bootup or boot\$1up or (start\$3 adj up)) with (operating\$1system or (operating adj system) or OS)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 19:31
S31	48	S30 and (remote\$2 with (hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3 or modify\$3 or alter\$3 or chang\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/13 19:32
S32	3	"20030004952"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 06:33
S33	2	"5822565".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 06:34
S34	2	"20030236971"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 06:35
S35	2	"20030145008"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 07:11

EAST Search History

S36	2	"5825361".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 07:11
S37	20367	(hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3) with (remote\$2 or network or local\$1area\$1network or (local adj area adj network) or LAN or wide\$1area\$1network or (wide adj area adj network) or WAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 11:26
S38	2060	S37 and (extensible\$1markup\$1language or (extensible adj markup adj language) or XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:04
S39	23	S38 and ((prior or earlier or before) with (initializ\$3 or execut\$3 or start\$3 or boot\$4 or (boot adj up) or (boot\$4 adj up) or bootstrap\$4 or (boot adj strap\$4)) with (operating\$1system or (operating adj system) or OS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 11:17
S40	7496	(hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) near3 (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3) with (remote\$2 or network or local\$1area\$1network or (local adj area adj network) or LAN or wide\$1area\$1network or (wide adj area adj network) or WAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 11:25
S41	47	S40 and (pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE") same (operating\$1system or (operating adj system) or "OS")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 11:26

EAST Search History

S42	43011	(hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3) same (remote\$2 or network or local\$1area\$1network or (local adj area adj network) or LAN or wide\$1area\$1network or (wide adj area adj network) or WAN)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 11:47
S43	46	S42 and (remote near2 (basic\$1input\$1output\$1system or (basic adj input adj output adj system) or BIOS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 11:48
S44	46	S42 and (remot\$2 near2 (basic\$1input\$1output\$1system or (basic adj input adj output adj system) or BIOS))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:15
S46	0	(basic\$1input\$1output\$1system or (basic adj input adj output adj system) or BIOS) and (hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) and (pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE") and (operating\$1system or (operating adj system) or "OS") and (extensible\$1markup\$1language or (extensible adj markup adj language) or XML) and (initial\$1start\$1up\$1application or (initial adj start adj up adj application) or "ISUA")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 12:16
S47	2	"20030172372"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:00

EAST Search History

S48	2199	(query\$3 or poll\$3) near3 (hardware or hard\$1ware or peripheral or input\$1output or (input adj output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:01
S49	114	remote\$3 with (power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:03
S50	0	S48 with S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:03
S51	0	S48 same S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:03
S52	207	remote\$3 same (power\$1on\$1self\$1test or (power adj on adj self adj test) or pre\$1boot\$1execution\$1environm ent or preboot\$1execution\$1environment or (preboot adj execution adj environment) or "PXE")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:03
S53	0	S48 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:03
S54	21	S52 and (extensible\$1markup\$1language or (extensible adj markup adj language) or XML)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:38

EAST Search History

S55	2	"20040254978"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:42
S56	8076	(wake\$1on\$1lan or (wake adj on adj lan) or WOL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:42
S57	132	S56 and ((hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) near3 (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3 or modify\$3 or modification or chang\$3 or alter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 17:45
S58	70	S57 and (boot\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:57
S59	100	(initial\$1start\$1up\$1application or (initial adj start adj up adj application) or "ISUA")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:58
S60	32	((web or internet) adj browser) near4 ((hardware or hard\$1ware or peripheral or input\$1output or (input adj output)) with (setting or configur\$5 or (setting adj up) or setup or adjust\$3 or program\$3 or modify\$3 or modification or chang\$3 or alter\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/14 19:58